

National Registry of Emergency Medical Technicians[®] Paramedic Psychomotor Competency Portfolio Manual

NORMAL DELIVERY WITH NEWBORN CARE SKILLS LAB

Student Nar	me:	Date:	
Instructor E	valuator: Stude	ent Evaluator:	
	Signature		Signature
	SCORING		
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or excessive pro-	mpting; inconsistent; ne	ot yet competent
1	Not yet competent, marginal or inconsistent, thi	s includes partial attem	ıpts
2	Successful; competent; no prompting necessary		
A atwal Tim	o Stantado		SCORE
Actual Tim	priate PPE precautions		SCORE
	nistory relevant to the pregnancy		
	nated date of confinement		
	uency of contractions		-
	ation of contractions		
	nsity of contractions		
	ture of amniotic sac (time and presence of mecon	nium)	
	ious pregnancies and deliveries (complications,		tion)
	existing medical conditions (HTN, DM, seizure,		HOII)
	ications taken prior to labor	cardiac)	
	atal care (identified abnormalities with pregnanc	·v)	
	inal bleeding	<u>y)</u>	
	ominal pain		
Assessment	1		
	l signs (BP, P, R, Temperature)		
	lence of imminent delivery (crowning, contraction	ns, urge to push, urge t	0
	cate)	ns, arge to push, arge t	
Prepares fo	,		
	ares appropriate delivery area		
	oves patient's clothing	-	-
	ns and prepares obstetric kit		
	es clean pad under patient		
	ares bulb syringe, cord clamps, towels, newborn	blanket	
Delivers ne			
Duri	ng contractions, urges patient to push		
Deli	vers and supports the emerging fetal head		
Che	cks for nuchal cord		
Man	ages nuchal cord if present		
Asse	esses for and notes the presence of meconium		
	vers the shoulders		
	vers the remainder of the body		
	es newborn on mother's abdomen or level with n	nother's uterus	
Note	es the time of birth		
Con	trols hemorrhage as necessary		

Reassesses mother's vital signs

Newborn care (Birth – 30 seconds postpartum):				
If newborn is distressed, clears airway as necessary				
Warms and dries newborn				
Wraps newborn in blanket or towels to prevent hypothermia				
Newborn care (30 – 60 seconds postpartum):				
If heart rate is less than 100, gasping or apneic:				
Provides PPV				
Monitors SpO ₂ in neonate				
Clamps and cuts umbilical cord				
Places on mother's chest to retain warmth				
Determines 1 minute APGAR score				
Newborn care (after 1 minute postpartum):				
If heart rate is less than 100:				
Takes ventilation corrective steps and continues PPV				
If heart rate is less than 60:				
Considers intubation				
Begins chest compressions				
If heart rate remains less than 60 after chest compressions and PPV:				
Administers epinephrine IO				
Determines 5 minute APGAR score				
Affective				
Accepts evaluation and criticism professionally				
Shows willingness to learn				
Interacts with simulated patient and other personnel in professional manner				
Actual Time Ended:				
TOTAL	/92			
	172			
Critical Criteria				
Failure to take or verbalize appropriate PPE precautions				
Failure to identify or manage a nuchal cord				
Failure to immediately suction the newborn nose and mouth				
Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous position,				
pulls on umbilical cord to deliver placenta, handles newborn inappropriately)				
Failure to provide appropriate newborn care				
Failure to manage the patient as a competent EMT				
Exhibits unacceptable affect with patient or other personnel				
Uses or orders a dangerous or inappropriate intervention				
Failure to receive a total score of 70 or greater				
Community and an				
Comments:				
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)				
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful				