

National Registry of Emergency Medical Technicians[®] Paramedic Psychomotor Competency Portfolio Manual DEFIBRILLATION (UNWITNESSED ARREST) SKILLS LAB

| | | Date: | |
|---|---|--|---------------|
| | | | |
| S S | | Signature Student Evaluator: | Signature |
| NOTE: | | ained person must be present to supervise the practice | |
| | | SCORING | |
| N/A | Not applicable | | |
| 0 | Unsuccessful; required critical or excessive prompting; inconsistent; not yet competent | | |
| 1 | Not yet competent, marginal or inconsistent, this includes partial attempts | | |
| 2 | Successful; cor | npetent; no prompting necessary | |
| | | | |
| | me Started: | | SCORE |
| | ecks, assembles | | |
| Monitor/defibrillator with defibrillation pads | | | |
| | | riate administration device | |
| | defibrillation | | <u> </u> |
| Takes or verbalizes appropriate PPE precautions | | | |
| Determines the scene/situation is safe | | | |
| Attempts to question bystanders about arrest events | | | |
| Checks responsiveness Requests additional assistance | | | |
| | | | 41 |
| Assesses patient for signs of breathing [observes the patient and determines the absence of breathing or abnormal breathing (gasping or agonal respirations)] | | | |
| | | (no more than 10 seconds) | 18)] |
| | | chest compressions | |
| 1111 | Adequate deg | | |
| | | pression-to-ventilation ratio | |
| | | nest to recoil completely | |
| | | umes for each breath | |
| | | rruptions of less than 10 seconds throughout | |
| Att | taches defibrillator | | |
| | | ment – evaluates the risk of sparks, combustibles, ox | vgen- |
| | riched atmosphere | <u>=</u> | 78011 |
| | ops CPR and obser | | |
| | | " and visually ensures that all individuals are clear of | f the patient |
| De | livers shock | • | |
| Im | mediately resume | s chest compressions | |
| Affective | | | |
| Ac | cepts evaluation a | nd criticism professionally | |
| Shows willingness to learn | | | |
| | | ted patient and other personnel in professional manne | er |
| Actual Ti | me Ended: | | |
| | | | TOTAL /48 |

| Critical Criteria | | | |
|--|--|--|--|
| Failure to initiate CPR without delay | | | |
| Interrupts CPR for more than 10 seconds | | | |
| Failure to take or verbalize appropriate PPE precautions | | | |
| Failure to deliver shock in a timely manner | | | |
| Failure to demonstrate acceptable high quality adult CPR | | | |
| Failure to operate the defibrillator properly | | | |
| Failure to correctly attach the defibrillator to the patient | | | |
| Failure to verify rhythm before delivering a shock | | | |
| Failure to demonstrate acceptable shock sequence | | | |
| Failure to assure that all individuals were clear of patient during rhythm interpretation and before | | | |
| delivering shock (verbalizes "All clear" and observes) | | | |
| Failure to ensure a safe environment before delivering shock (sparks, combustibles, oxygen-enriched | | | |
| atmosphere) | | | |
| Failure to immediately resume chest compressions after shock delivered | | | |
| Failure to resume ventilation with oxygen at the proper time | | | |
| Failure to demonstrate the ability to manage the patient as a minimally competent EMT | | | |
| Exhibits unacceptable affect with patient or other personnel | | | |
| Uses or orders a dangerous or inappropriate intervention | | | |
| Failure to receive a total score of 36 or greater | | | |
| | | | |
| Comments: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance | | | |
| and document his/her response to the following question:) | | | |
| and the same of th | | | |
| Were you successful or unsuccessful in this skill? Successful | | | |
| Unsuccessful | | | |